

**CCU Coastal Marine and Wetland Studies**  
**M.S. Theses**  
**Coastal Carolina University**

2005. Yednock, B. Habitat utilization by multiple shark species in a southeastern salt marsh estuary. 49 pp.
2006. Blair, K. P. Influence of sediment type, salinity, and depth on the distribution of bottlenose dolphins, *Tursiops truncatus*, in a South Carolina estuary. 48 pp.
2006. Garwood, J.A. Effects of vertical structure on inshore artificial reef fish and macroinvertebrate communities. 47pp.
2006. Klein-Majors, S. Correlations between the distributions of the Atlantic stingray (*Dasyatis sabina*) and the southern stingray (*Dasyatis sabina*) to salinity profiles in Winyah Bay, South Carolina. 41 pp.
2006. Laliberte, L. Plant distribution and diversity across the ecotone between Carolina bays and pine savanna on the coastal plain of South Carolina. 56 pp.
2007. Zoellner, D.C. Ecological characterization of plant communities in nine Carolina bays of northeastern South Carolina. 69 pp.
2008. Berben, K. Effects of fire management on herpetofauna of Sandy Island, South Carolina. 59 pp.
2008. Clelland, R.W. Differences in the energy expenditures of oceanic and estuarine bottlenose dolphins (*Tursiops truncatus*). 40 pp.
2008. Dikun, K. Nest-site selection of Wilson's plovers (*Charadrius wilsonia*) in South Carolina. 57 pp.
2008. Hillard, R. Prevalance, patterns, and effects of shell damage on *Geukensia demissa* in South Carolina intertidal estuaries. 39 pp.
2008. Jackson, J. Response of high marsh benthic invertebrate assemblages to shoreline development in Murrells Inlet, South Carolina, USA. 51 pp.
2008. Lawrence, M.J. Abundance, richness, and habitat preferences of small mammals on Spring Island, South Carolina. 42 pp.
2008. Maxwell, M.K. Distribution of neonate atlantic sharpnose sharks, *Rhizoprionodon terraenovae*, in a South Carolina estuary and nearby waters. 39 pp.
2008. Marlowe, M. Status and trends of a globally imperiled Atlantic coastal plain wetland: links to hydrogeologic setting and conservation. 87 pp.
2008. McDonough, M.M. Comparison of elasmobranch fauna in two South Carolina estuaries differing in their degree of human impact. 44 pp.
2008. Trott, E. Competition between *Littoraria irrorata* (Say) and *Melampus bidentatus* (Say) in the high marsh on Waites Island, South Carolina. 44 pp.
2008. Scott, T. 2008. Bat species richness and edge habitat use on a coastal island in South Carolina. 64 pp.
2008. Johnston, K. The influence of meteorological and substrate factors upon embryonic outcomes of *Caretta caretta* nests in South Carolina. 59 pp.
2008. Parson, M.E. Breast coloration and algae consumption in bluegill sunfish. 36 pp.
2009. Tosso, E.L. A comparison of herpetofauna assemblages among tropical forest fragments and subsistence plantations adjacent to an Ecuadorian Ramsar wetland. 60 pp.

2009. Kanen, J.L. Micro-metazoan use of *Spartina alterniflora* stems of different ages. 30 pp.
2009. Shappell, L. Examining the ecological effects of prescribed fire on the habitat structure of isolated wetlands and longleaf pine uplands at Sandy Island, South Carolina. 73 pp.
2009. Stevens, J. Relative abundance of filamentous fungi and yeast species in sands of low, medium and high-used beaches of Horry County, SC. 44 pp.
2009. O'Connell, C. The effects of magnets as an elasmobranch-selective repellent. 76 pp.
2009. Wear, E. Effects of inter-tributary dissolved organic carbon variability on heterotrophic microbial communities in Upper Winyah Bay, SC. 170 pp.
2009. Jones, C. The contribution of various nekton species to nutrient cycling through excretion and bioturbation in an intertidal creek. 45 pp.
2009. Zaplatynski, Z. Effects of shoreline development on plant composition and physical structure in a South Carolina high marsh. 48 pp.
2009. Gary, S. Shark population structure and partitioning in Winyah Bay, SC. 65 pp.
2009. Mull, J. Comparison of surf zone and nearshore nekton communities in Horry County, South Carolina. 51 pp.
2010. Xiques, R.E. The effects of nest thermal stratification on predictive models for temperature-dependent sex ratios and survivorship of the leatherback turtle, *Dermochelys coriacea*, in Pacuare Reserve, Costa Rica. 75 pp.
2010. Schreer, J. Seasonal residency and movement patterns of blacktip sharks, *Carcharhinus limtabus*, in a South Carolina estuary. 54 pp.
2010. Savard, M.S. An examination of soil surface temperatures in high marsh plant habitats at Waties Island, SC. 87 pp.
2010. Howard, M.J. A surficial geologic study of Sandy Island, Georgetown County, South Carolina. 79 pp.
2010. Connelly, R. Colonization by aquatic insect larvae in experimental ponds: reproductive decisions based on biotic and abiotic factors. 39 pp.
2010. Blakeney, S.A. Application of a hydrogeomorphic (HGM) assessment outside the designated regional subclass: an estimation of HGM transference for pond cypress depressions of South Carolina. 77 pp.
2010. Marsh, M. Microbial activity and diversity associated with decomposing *Spartina* wrack in coastal ecosystems. 40 pp.
2010. King, C. Assessing a Hydrogeomorphic Approach to blackwater riverine wetlands Along the Waccamaw River near Conway, SC. 92pp.
2010. Fierro, J. Sediment provenance of a shore oblique sand body, Long Bay, SC. 58 pp
2010. Fox, A. Interactions between birds and strand-feeding dolphins (*Tursiops truncatus*) in a South Carolina salt marsh. 96 pp
2010. Rotella, A. Growth and biomass of water hyacinth in a tidal blackwater river system, South Carolina. 59 pp.
2011. Penland Bayer, M. Trophic linkages between freshwater tidal impoundments and riverine fishes in South Carolina. 66 pp.
2011. Ruppel, W. M. Relationship between macroinvertebrate assemblage structure and ecosystem function in two coastal plain blackwater streams.

2011. Canton, L. Factors affecting the selection and consumption of oyster reef prey (*Crassostrea virginica*, *Geukensia demissa*) by mud crabs (*Panopeus herbstii*). 35 pp.
2011. Barker, J. Invertebrate assemblages associated with water hyacinth (*Eichhornia crassipes*) roots in the Waccamaw River, South Carolina. 57 pp.
2011. Murphy, J. The bioaccumulation of total and methyl mercury in water hyacinth (*Eichhornia crassipes*) and their impact on mercury levels and other water quality parameters in a South Carolina Coastal Plain river. 80 pp.
2012. Wessel, C.C. Connections between bivalve settlement, growth, survival and the water quality within South Carolina inlet and swash tidal creeks. 44 pp.
2012. Comis, C.M. Nearshore orientation preferences of loggerhead sea turtle (*Caretta caretta*) hatchlings in Kyparissia Bay, Greece. 50 pp.
2012. Cuskelly, M. Differential nesting in the leatherback sea turtle (*Dermochelys coriacea*) at Pacuare Nature Preserve, Costa Rica. 48 pp.
2012. Tarpley, D.R.N. Atmospheric and oceanographic processes controlling the formation of hypoxic water in Long Bay of the Carolinas. 158 pp.
2012. Smith, C.A. The comparison of large nekton between a pristine and urbanized estuary and between two national estuarine research preserve systems in South Carolina. 69 pp.